

Package: cropcircles (via r-universe)

August 27, 2024

Type Package

Title Crops an Image to a Circle

Version 0.2.4

URL <https://github.com/doehm/cropcircles>

BugReports <https://github.com/doehm/cropcircles/issues>

Description Images are cropped to a circle with a transparent background. The function takes a vector of images, either local or from a link, and circle crops the image. Paths to the cropped image are returned for plotting with 'ggplot2'. Also includes cropping to a hexagon, heart, parallelogram, and square.

Depends R (>= 3.5.0)

Imports glue, magick, purrr

License MIT + file LICENSE

Encoding UTF-8

LazyData true

RoxygenNote 7.2.3

Repository <https://doehm.r-universe.dev>

RemoteUrl <https://github.com/doehm/cropcircles>

RemoteRef HEAD

RemoteSha 94bde278089fa154e05c1bd0996fb48b362dc204

Contents

| | |
|-----------------------------|---|
| add_border | 2 |
| crop_circle | 2 |
| cut_circle | 5 |
| cut_heart | 5 |
| cut_hex | 6 |
| cut_parallelogram | 6 |
| cut_square | 7 |

Index**8**

| | |
|------------|--------------------------|
| add_border | <i>Add border helper</i> |
|------------|--------------------------|

Description

Add border helper

Usage

```
add_border(x, geom, border_size, border_colour, bg_fill, orig)
```

Arguments

| | |
|---------------|---|
| x | magick image |
| geom | Geometric shape e.g. circle, hex, heart. |
| border_size | Border size in pixels. |
| border_colour | Border colour |
| bg_fill | Background fill |
| orig | List of original dimensions e.g. 'list(wd = 100, ht = 200)' |

Value

Magick image

| | |
|-------------|---------------------------|
| crop_circle | <i>Cropping functions</i> |
|-------------|---------------------------|

Description

Reads in an image and crops to the specified geometry with a transparent background. If a new path is given it will save the cropped images to the new location. If no path is given it will save to a temporary location which will be cleared when the session is closed

Usage

```
crop_circle(
  images,
  to = NULL,
  border_size = NULL,
  border_colour = "black",
  bg_fill = NULL,
  just = "center"
)
```

```
crop_square(  
    images,  
    to = NULL,  
    border_size = NULL,  
    border_colour = "black",  
    bg_fill = NULL,  
    just = "center"  
)
```

```
crop_hex(  
    images,  
    to = NULL,  
    border_size = NULL,  
    border_colour = "black",  
    bg_fill = NULL,  
    just = "center"  
)
```

```
crop_heart(  
    images,  
    to = NULL,  
    border_size = NULL,  
    border_colour = "black",  
    bg_fill = NULL,  
    just = "center"  
)
```

```
crop_parallelogram(  
    images,  
    to = NULL,  
    border_size = NULL,  
    border_colour = "black",  
    bg_fill = NULL,  
    just = "center"  
)
```

```
circle_crop(  
    images,  
    to = NULL,  
    border_size = NULL,  
    border_colour = "black",  
    bg_fill = NULL,  
    just = "center"  
)
```

```
hex_crop(  
    images,
```

```

    to = NULL,
    border_size = NULL,
    border_colour = "black",
    bg_fill = NULL,
    just = "center"
  )

```

Arguments

| | |
|---------------|--|
| images | Vector of image paths, either local or urls. If urls the images will be downloaded first. |
| to | Path to new location |
| border_size | Border size in pixels. |
| border_colour | Border colour. |
| bg_fill | Background fill. Allows a different colour for the background and a different colour for the border. |
| just | Where to justify the image prior to cropping. Accepted values: 'left', 'right', 'top', 'bottom' |

Value

Path to cropped images

Note

The naming convention is now 'crop_*'. The old functions 'circle_crop' and 'hex_crop' still work but you are encouraged to use the new functions 'crop_circle' and 'crop_hex'.

Examples

```

library(cropcircles)
library(magick)

img_path <- file.path(system.file(package = "cropcircles"), "images", "walter-jesse.png")
img_cropped <- crop_circle(img_path, border_size = 6)
image_read(img_cropped)

# other geometries

image_read(crop_hex(img_path, border_size = 6))
image_read(crop_heart(img_path, border_size = 6))
image_read(crop_parallelogram(img_path, border_size = 6))

# justification example

# center (default)
image_read(crop_circle(img_path, border_size = 6))

# left
image_read(crop_circle(img_path, border_size = 6, just = "left"))

```

```
# right
image_read(crop_circle(img_path, border_size = 6, just = "right"))
```

cut_circle *Circle crop helper*

Description

Circle crop helper

Usage

```
cut_circle(x, just = "center")
```

Arguments

| | |
|------|--|
| x | Magick images |
| just | Where to justify the image prior to cropping |

Value

Magick image

cut_heart *heart crop helper*

Description

heart crop helper

Usage

```
cut_heart(x, just = "center")
```

Arguments

| | |
|------|--|
| x | Magick image |
| just | Where to justify the image prior to cropping |

Value

Magick images

cut_hex *Hex crop helper*

Description

Hex crop helper

Usage

```
cut_hex(x, just = "center")
```

Arguments

| | |
|------|--|
| x | Magick image |
| just | Where to justify the image prior to cropping |

Value

Magick image

cut_parallelogram *Parallelogram crop helper*

Description

Parallelogram crop helper

Usage

```
cut_parallelogram(x, just = "center")
```

Arguments

| | |
|------|--|
| x | Magick image |
| just | Where to justify the image prior to cropping |

Value

Magick image

| | |
|------------|---------------------------|
| cut_square | <i>Square crop helper</i> |
|------------|---------------------------|

Description

Square crop helper

Usage

```
cut_square(x, just = "center")
```

Arguments

| | |
|------|-------------------------------------|
| x | Magick images |
| just | Where to justify the image prior to |

Value

Magick image

Index

`add_border`, 2

`circle_crop (crop_circle)`, 2

`crop_circle`, 2

`crop_heart (crop_circle)`, 2

`crop_hex (crop_circle)`, 2

`crop_parallelogram (crop_circle)`, 2

`crop_square (crop_circle)`, 2

`cut_circle`, 5

`cut_heart`, 5

`cut_hex`, 6

`cut_parallelogram`, 6

`cut_square`, 7

`hex_crop (crop_circle)`, 2